

DYNAMAX IMAGING						
DYNAMAX IMAGING Model Number	Andon Part Number Replace "XXX" with Terminal Type	Terminal Type		Pin Ø [in]	Figure Number	Page Number
		Thru-Hole	Surface Mount			
DYNO174	10-41-02A-511-XXX-R27-L14-P	400T4	414T4	.012	1	1
DYNO032	687-98-SM-G10-L14-1-SP	-	-	-	2	1
DYNO021	687-98-SM-G10-L14-1-SP	-	-	-	2	1




Fig. 1
Thru-Hole: 10-41-02A-511-400T4-R27-L14
Surface Mount: 10-41-02A-511-414T4-R27-L14

**.0276 [0.70] Pitch LCC Sockets
98 PINS**

**EXTRACTION TOOL
AVAILABLE**

Fig. 2

TOP VIEW

SIDE VIEW

RECOMMENDED PCB LAYOUT

PATENTED
CASTELLATION
CONTACT
US PAT# 5,588,847

Andon Part Number	Figure Number	Pin QTY.	Number of Pins (per side)			
			A	B	C	IV
687-98-SM-G10-L14-1-SP	2	98	.634 [16.10]	.661 [16.80]	.0276 [0.70]	24 25 24 25

Replace "-X" with "-1" for index pins or "-0" for none

NON MAGNETIC PLATING AVAILABLE - G55

©Copyright 2014 Andon Electronics Corporation. All Rights Reserved. This material is protected under US and other copyrights and may not be copied, sold, or redistributed in any form without written permission of Andon Electronics Corporation. Copyrights and trademarks are property of their respective companies. We reserve the right to change specifications without notice. Andon makes no warranty, expressed or implied, as to the suitability of the sockets for the intended purpose.