




RoHS Compliant
ISO 9001
Certified

OPTOELECTRONIC SOCKETS FOR

CTS Valpey Corporation

CTS
ELECTRONIC COMPONENTS



***Largest Line of High Reliability Sensor Sockets
with Andon's Unique Senstac™ Contact***

www.andonelect.com or www.andonelectronics.com

CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS						
CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS Model Number	Andon Part Number Replace "XXX" with Terminal Type	Terminal Type		Pin Ø [in]	Figure Number	Page Number
		Thru-Hole	Surface Mount			
MODEL 121	C20-1618-07-01-XXX-R27-L14	433E	285E	.040	7	6
MODEL 125	C20-1618-07-01-XXX-R27-L14	433E	285E	.040	7	6
MODEL 196	C10-1014-05-02-XXX-R27-L14	295V	439V	.030	8	6
H1700	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1744	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1748	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1936	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1945	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H2700	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H2744	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H2748	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1736	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1745	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1900	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1944	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1948	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H2736	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H2745	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
VFHS85	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
VF70	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H5622	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H5623	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3200 SERIES M1	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1380	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1382	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1389	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3390	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3392	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3399	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
M1381	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1388	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3391	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3398	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
H-1-3200 SERIES	C10-308-05-01-XXX-R27-L14	01S	93S	.018	5	5
MX045/MX045HS	C10-308-05-01-XXX-R27-L14	01S	93S	.018	5	5
MX045LV/MX045HSLV	C10-308-05-01-XXX-R27-L14	01S	93S	.018	5	5
VM6S	CSP192-02-01-XXX-R27-L14	01S	93S	.018	3	5
VM6	CSP192-02-01-XXX-R27-L14	01S	93S	.018	3	5
UM-1	C15-02-02-03-XXX-R27-L14	274K	281K	.018	4	5
UM-5	C15-02-02-03-XXX-R27-L14	274K	281K	.018	4	5
ATS/ATS-SM SERIES	CSP192-02-01-XXX-R27-L14	01S	93S	.018	3	5
NC38	R043-002-02-01-XXX-R27-L14	400T4	414T4	.012	10	6
VFOV410	CSP1000-05-01-XXX-R27-L14	01S	93S	.018	9	6
VFOV405	C10-308-05-01-XXX-R27-L14	01S	93S	.018	5	5
VFOV504	C10-314-05-01-XXX-R27-L14	01S	93S	.018	11	6
VFOV404	C10-314-05-01-XXX-R27-L14	01S	93S	.018	11	6
HCMOS	C10-314-05-01-XXX-R27-L14	01S	93S	.018	11	6
MODEL 144	C10-314-05-01-XXX-R27-L14	01S	93S	.018	11	6
VFOV101	C10-608-05-02-XXX-R27-L14	01S	93S	.018	1	5
VFOV201	C10-608-05-02-XXX-R27-L14	01S	93S	.018	1	5
MODEL 122	C10-608-05-02-XXX-R27-L14	01S	93S	.018	1	5
VFOV102	CSP1000-05-01-XXX-R27-L14	01S	93S	.018	9	6
VFOV202	CSP1000-05-01-XXX-R27-L14	01S	93S	.018	9	6
VFOV302	CSP1000-05-01-XXX-R27-L14	01S	93S	.018	9	6
VFTX110	CSP1000-05-01-XXX-R27-L14	01S	93S	.018	9	6
MODEL 118TH	C10-7524-05-01-XXX-R27-L14	295V	439V	.030	12	6
MODEL 117TH	C10-7524-05-01-XXX-R27-L14	295V	439V	.030	12	6

CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS						
CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS Model Number	Andon Part Number Replace "XXX" with Terminal Type	Terminal Type		Pin Ø [in]	Figure Number	Page Number
		Thru-Hole	Surface Mount			
VFOV203	C10-7524-05-01-XXX-R27-L14	295V	439V	.030	12	6
VFOV103	C10-7524-05-01-XXX-R27-L14	295V	439V	.030	12	6
VFOV600	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VFOV650	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
114TH	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
03-42126TH	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M6000 SERIES	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
H6000 SERIES	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VF940	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2300 SERIES	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
H2300 SERIES	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2000 SERIES	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
H2000 SERIES	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VF160-E/VF161-E	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1257	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
MXO45LV/MXO45HSLV	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
MXO45/MXO45HS	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M5622	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M5623	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VF150	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VF140	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VFAC170	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2980	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2984	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2985	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2988	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2910	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2954	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2955	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2958	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1700	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1744	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1748	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1936	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1945	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2700	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2744	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2748	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1736	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1745	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1900	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1944	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1948	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2736	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2745	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1280	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1282	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1289	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3290	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3292	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3299	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1281	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1288	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3291	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3298	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VFHS170	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5

CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS						
CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS Model Number	Andon Part Number Replace "XXX" with Terminal Type	Terminal Type		Pin Ø [in]	Figure Number	Page Number
		Thru-Hole	Surface Mount			
M1259	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1260	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VF160/161	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VF140	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VF150	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
VFAC170	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1380	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
MODEL 148	C10-308-05-01-XXX-R27-L14	01S	93S	.018	5	5
M1382	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1389	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3390	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3392	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3399	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2911 THRU M2913	C10-314-07-03-XXX-R27-L14	01S	93S	.018	18	7
M6306	C10-314-07-03-XXX-R27-L14	01S	93S	.018	18	7
M3200 SERIES M1	C10-314-07-03-XXX-R27-L14	01S	93S	.018	18	7
M5500	C10-314-14-01-XXX-R27-L14	01S	93S	.018	13	7
M5515	C10-314-14-01-XXX-R27-L14	01S	93S	.018	13	7
M5516	C10-314-14-01-XXX-R27-L14	01S	93S	.018	13	7
W2911 THRU W2913	C10-616-16-01-XXX-R27-L14	01S	93S	.018	14	7
W2971 THRU W2973	C10-616-16-01-XXX-R27-L14	01S	93S	.018	14	7
H PACKAGE	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
M2000 H SERIES	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H 2000 H SERIES	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
M 2300 H SERIES	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H 2300 H SERIES	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
M 3200 1 SERIES	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H 3200 1 SERIES	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
VF940 T SERIES	C10-314-06-03-XXX-R27-L14	01S	93S	.018	15	7
W2173	C10-616-16-01-XXX-R27-L14	01S	93S	.018	14	7
MODEL 114	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
MODEL 117	CSP750-05-01-XXX-R27-L14	01S	93S	.018	19	7
MODEL 118	CSP750-05-01-XXX-R27-L14	01S	93S	.018	19	7
MODEL 121 DOCXO	C20-1618-08-01-XXX-R27-L14	433E	285E	.040	16	7
MODEL 122	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
MODEL 125 SSOCXO	C20-1618-07-01-XXX-R27-L14	433E	285E	.040	7	6
MODEL 144	C10-314-05-01-XXX-R27-L14	01S	93S	.018	11	6
MODEL 148	C10-308-05-01-XXX-R27-L14	01S	93S	.018	5	5
MODEL 196 OCXO	C10-1014-05-02-XXX-R27-L14	295V	439V	.030	8	6
MP SERIES	CSP192-02-01-XXX-R27-L14	01S	93S	.018	3	5
MX045HSLV	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
MX045LV	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
MX045HS (DIP 8)	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
MX045LV (DIP 8)	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1280	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1281	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1282	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1288	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1289	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1381	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H1388	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
NC26	C043-002-02-01-XXX-R27-L14	400T4	414T4	.012	10	6
VFOV404	C10-314-05-01-XXX-R27-L14	01S	93S	.018	11	6
VFOV405	C10-308-05-01-XXX-R27-L14	01S	93S	.018	5	5
VFT37SCL-10	R200-SP05-03T-XXX-R27-L14	01S	93S	.018	17	7

CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS						
CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS Model Number	Andon Part Number Replace "XXX" with Terminal Type	Terminal Type		Pin Ø [in]	Figure Number	Page Number
		Thru-Hole	Surface Mount			
H3290	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3291	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3292	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3299	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3391	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3398	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
H3399	C10-308-04-02-XXX-R27-L14	01S	93S	.018	6	5
M1257	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1259	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1280	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1281	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1282	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1288	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1289	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1744	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1745	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1748	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1936	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1944	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1945	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M1948	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2910	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2954	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2955	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2958	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2980	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2984	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2985	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M2988	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3290	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3291	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3292	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3298	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3299	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3390	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3392	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5
M3399	C10-314-04-01-XXX-R27-L14	01S	93S	.018	2	5

CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS *Continued*

Socket Terminal Details *Cross Section View Shown Units: in [mm]*




Fig. 1

Thru-Hole: C10-608-05-02-01S-R27-L14
Surface Mount: C10-608-05-02-93S-R27-L14




Fig. 2

Thru-Hole: C10-314-04-01-01S-R27-L14
Surface Mount: C10-314-04-01-93S-R27-L14




Fig. 3

Thru-Hole: CSP192-02-01-01S-R27-L14
Surface Mount: CSP192-02-01-93S-R27-L14




Fig. 4

Thru-Hole: C15-02-02-03-274K-R27-L14
Surface Mount: C15-02-02-03-281K-R27-L14




Fig. 5

Thru-Hole: C10-308-05-01-01S-R27-L14
Surface Mount: C10-308-05-01-93S-R27-L14




Fig. 6

Thru-Hole: C10-308-04-02-01S-R27-L14
Surface Mount: C10-308-04-02-93S-R27-L14

CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS *Continued*

Socket Terminal Details *Cross Section View Shown Units: in [mm]*




Fig. 7

Thru-Hole: C20-1618-07-01-**433E**-R27-L14
Surface Mount: C20-1618-07-01-**285E**-R27-L14




Fig. 8

Thru-Hole: C10-1014-05-02-**295V**-R27-L14
Surface Mount: C10-1014-05-02-**439V**-R27-L14




Fig. 9

Thru-Hole: CSP1000-05-01-**01S**-R27-L14
Surface Mount: CSP1000-05-01-**93S**-R27-L14




Fig. 10

Thru-Hole: R043-02-02-01-**400T4**-R27-L14
Surface Mount: R043-02-02-01-**414T4**-R27-L14




Fig. 11

Thru-Hole: C10-314-05-01-**01S**-R27-L14
Surface Mount: C10-314-05-01-**93S**-R27-L14




Fig. 12

Thru-Hole: C10-7524-05-01-**295V**-R27-L14
Surface Mount: C10-7524-05-01-**439V**-R27-L14

CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS *Continued*

Socket Terminal Details Cross Section View Shown Units: in [mm]




Fig. 13

Thru-Hole: C10-314-14-01-01S-R27-L14
Surface Mount: C10-314-14-01-93S-R27-L14




Fig. 14

Thru-Hole: C10-616-16-01-01S-R27-L14
Surface Mount: C10-616-16-01-93S-R27-L14




Fig. 15

Thru-Hole: C10-314-06-03-01S-R27-L14
Surface Mount: C10-314-06-03-93S-R27-L14




Fig. 16

Thru-Hole: C20-1618-08-01-433E-R27-L14
Surface Mount: C20-1618-08-01-285E-R27-L14




Fig. 17

Thru-Hole: R200-SP05-03T-01S-R27-L14
Surface Mount: R200-SP05-03T-93S-R27-L14




Fig. 18

Thru-Hole: C10-314-07-03-01S-R27-L14
Surface Mount: C10-314-07-03-93S-R27-L14





Fig. 19

Thru-Hole: C10-7524-05-01-01S-R27-L14
Surface Mount: C10-7524-05-01-93S-R27-L14

CTS VALPEY CORPORATION/ CTS ELECTRONICS COMPONENTS *Continued*

Socket Terminal Details Cross Section View Shown Units: in [mm]



Technical Information

Material:

Insulator: Hi-Temp UL 94V-O
 Terminal: Brass, per ASTM-B16
 Contact: BeCu, Per ASTM-B194

Plating: RoHS COMPLIANT

R15 TERMINAL: GOLD / CONTACT: GOLD

R17 TERMINAL: TIN / CONTACT: GOLD

OTHER PLATINGS AVAILABLE

Terminal Acceptance and Forces

Thru Hole Terminals				Surface Mount Terminals			
Thru Hole Terminal	Accepts Pin Diameter	Insertion Force	Withdrawal Force	Surface Mount Terminal	Accepts Pin Diameter	Insertion Force	Withdrawal Force
-01S	Ø.018 [Ø0.46]	9.0 oz Avg.	2.0 oz Min	-93S	Ø.018 [Ø0.46]	9.0 oz Avg.	2.0 oz Min
-274K	Ø.018 [Ø0.46]	1.0 oz Avg.	0.5 oz Min	-281K	Ø.018 [Ø0.46]	1.0 oz Avg.	0.5 oz Min
-295V	Ø.030 [Ø0.76]	13.2 oz Avg.	3.5 oz Min	-439V	Ø.030 [Ø0.76]	13.2 oz Avg.	3.5 oz Min
-400T4	Ø.012 [Ø0.30]	1.1 oz Avg.	0.3 oz Min	-414T4	Ø.012 [Ø0.30]	1.1 oz Avg.	0.3 oz Min
-433E	Ø.040 [Ø1.02]	36.0 oz Avg.	3.9 oz Min	-285E	Ø.040 [Ø1.02]	36.0 oz Avg.	3.9 oz Min

MOUNTING OPTIONS

